FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABBOT

DD629
IDENTIFICATION NUMBER

COMMANDED BY

CDR JOHN J. PIRRO, , U. S. N.

Attached to { DESTROYER DIVISION 301 Division,
RESERVE DESTROYER SQUADRON 30 Squadron,
CRUISER-DESTROYER FLOTILLA 2 Flotilla,
U.S. ATLANTIC FLEET Fleet,
FOURTH NAVAL DISTRICT Naval District,

Commencing 0001 (zone time and date) 1 DECEMBER, 19 64,

at ENROUTE FROM MIAMI, FLORIDA TO PHILADELPHIA, PA. (location),

and ending 2400 (zone time and date) 31 DECEMBER, 19 64,

at U.S. NAVAL BASE, PHILADELPHIA, PA. (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____, 19 ____
(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

John Allen LCDR
_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION R DATE TUESDAY (Day) 1 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM MIAMI, FLORIDA TO PHILADELPHIA, PENNSYLVANIA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	314	23	10	SCT	30.09	59	52	4	3000	CU	80	340	6-8
02	314	23	10	SCT	30.09	59	51	4	3000	CU	80	340	6-8
03	314	24	10	SCT	30.09	58	51	4	3000	CU	80	340	6-8
04	318	21	10	SCT	30.09	58	51	4	3000	CU	79	340	6-8
05	309	26	10	SCT	30.10	58	51	5	3000	CU	77	340	5-6
06	319	25	10	SCT	30.10	58	50	7	3000	CU	78	340	5-6
07	330	24	10	BKN	30.12	57	50	7	3000	CU	80	340	5-6
08	320	26	10	BKN	30.12	57	51	9	3000	CU	80	340	5-6
09	331	25	10	BKN	30.12	56	51	9	3000	CU	80	340	5-6
10	325	20	10	BKN	30.18	54	52	9	3000	CU	80	340	5-6
11	327	27	10	BKN	30.18	54	49	9	3000	CU	80	340	5-6
12	345	25	10	BKN	30.19	53	47	9	3000	CU	80	340	5-6
13	300	25	10	BKN	30.21	52	47	8	3000	CU	80	340	5-6
14	320	23	10	BKN	30.21	51	46	8	3000	CU	80	340	5-6
15	320	23	10	BKN	30.21	50	44	8	3000	CU	80	340	5-6
16	312	20	10	BKN	30.19	49	45	9	3000	CU	80	340	5-6
17	297	26	10	BKN	30.20	48	44	9	3000	CU	78	340	5-6
18	298	26	10	BKN	30.20	48	43	9	3000	CU	80	340	5-6
19	327	20	10	SCT	30.22	46	42	9	3000	CU	80	340	5-6
20	313	15	10	SCT	30.22	45	42	4	3000	CU	80	340	5-6
21	313	15	10	SCT	30.21	45	40	4	3000	CU	80	340	5-6
22	316	18	10	SCT	30.25	44	40	4	3000	CU	80	340	5-6
23	316	18	10	SCT	30.25	44	40	4	3000	CU	80	340	5-6
24	316	18	10	SCT	30.25	42	38	4	3000	CU	80	340	5-6

POSITION	ZONE	TIME
0800 L	30°-46'N	BY 2
λ	78°-06'W	BY 2
1200 L	31°-40'N	BY 2
λ	77°-22'W	BY 2
2000 L	33°-50'N	BY 2
λ	75°-46'W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 358.3

FUEL CONSUMED 0000-2400: 18,836

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE TO PHILADELPHIA PA. FROM MIAMI FLORIDA AS A UNIT OF T.U. 178.4.2, OTC IS 178.4.2 IN ABBOT FORMATION COURSE 024 SPEED 15. READINESS CONDITION IV AND MATERIAL CONDITION YOKE MODIFIED ARE SET. ENGINEERING PLANT IS SPLIT.

H. Steffencavage
G. Steffencavage
LT USN

04-08 STEAMING AS BEFORE. 0402 C/C TO 025° 0415 C/C TO 030° 0512 C/C TO 035° 0641 C/S TO 14 KNOTS. 0646 C/S TO 16 KNOTS. 0653 C/S TO 17 KNOTS. 0700 C/S TO 18 KNOTS. 0707 LIGHTED FIRES IN NUMBER ONE BOILER. 0721 C/S TO 17 KNOTS. 0722 C/S TO 16 KNOTS. 0730 MUSTERED THE CREW ON STATIONS.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) Tuesday (Day) 1 (Date) December (Month) 1964

04-08 (CONT) ABSENTEES: NONE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

08-12 Steaming as before. 0850 Made daily inspection of magazines and smokeless powder samples; conditions satisfactory. 1029 c/s 17 kts.

R J Barton
R. J. Barton
LTJG USN

12-16 STEAMING AS BEFORE. 1231 C/C TO 050°(T). 1233 C/S TO 18 KTS. 1239 C/S TO 17 KTS.

[signature]
LT USN

16-18 Steaming AS Before. 1750 C/S 19 KTS 1752 C/S 21 KTS 1756 C/S 23 KTS 1759 C/S 21 KTS.

G. Stefancavage
G. STEFANCAVAGE
LT USN

18-20 STEAMING AS BEFORE. 1953 C/S TO 19 KNOTS. 1955 C/S TO 17 KNOTS. 1956 C/C TO 029°

Michael Harris
MICHAEL HARRIS
LTJG USNR

20-24 Steaming as before. 2005 c/s 18 Kts. 2014 c/s 175 2027 c/s 17 Kts. 2054 c/s 16 Kts. 2055 c/s 15 Kts. 2145 c/c 014° 2155 c/s 13 Kts. 2156 c/c 029 c/s 14 Kts. 2220 c/s 15 Kts.

R J Barton
R.J. Barton
LTJG USN

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: [signature] LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 2 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM MIAMI, FLA TO PHILADELPHIA, PA.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	315	17	10	SCT	30.24	43	39	3	3000	CU	79	350	4-6
02	314	17	10	SCT	30.24	43	39	2	3000	CU	79	350	4-6
03	330	14	10	SCT	30.24	43	38	2	3000	CU	78	350	4-6
04	330	12	10	CLR	30.24	40	36				67	350	4-6
05	330	10	10	CLR	30.24	40	36				57	350	4-6
06	330	10	10	CLR	30.24	41	40				58	350	4-6
07	320	10	10	CLR	30.24	41	35				58	350	4-6
08	265	15	10	SCT	30.26	41	35	7	3000	CU	57	350	4
09	225	13	10	BKN	30.27	40	34	9	3000	CU	55	350	2
10	225	13	10	BKN	30.26	48	37	8	3000	CU	56	350	2
11	228	13	10	BKN	30.27	44	38	8	3000	CU	56	CALM	
12	185	17	10	OVC	30.25	39	33	10	3000	CU	54	CALM	
13	185	18	10	BKN	30.21	38	32	9	3000	CU	52	CALM	
14	174	22	10	BKN	30.18	40	34	9	3000	CU	49	CALM	
15	157	11	10	BKN	30.16	40	35	9	3000	CU	46	CALM	
16	157	11	10	OVC	30.15	39	34	10	3000	CU	47	CALM	
17	160	10	10	OVC	30.22	39	33	10	3000	CU	50	CALM	
18	160	10	10	OVC	30.20	39	33	10	3000	CU	50	CALM	
19													
20					SAME AS SOPA								
21													
22					U.S.S. SAN PABLO (AGS-30)								
23													
24													

POSITION	ZONE	TIME
0800 L	37°-38'N	BY 3
λ	74°-32'W	BY 2
1200 L	Delaware	BY
λ	River	BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 337.6

FUEL CONSUMED 0000-2400: 19,232

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE MIAMI, FLA TO PHILADELPHIA, PA. IN ACCORDANCE WITH CTU 178.4.2 OPORD 2-64. STEAMING ON COURSE 029°(T), SPEED 15 KTS. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE MODIFIED ARE SET THROUGHOUT THE SHIP. BOILERS NUMBER 1 AND 4 AND SHIPS SERVICE GENERATORS NUMBER 1 AND 2 ARE ON THE LINE. 0009 C/C TO 024R TL. 0023 C/C TO 029°(T), 0145 C/C TO 000°(T). 0148 C/S TO 17 KTS. 0151 C/S TO 19 KTS. 0200 C/S TO 21 KTS. 0202 C/S TO 22 KTS. 0215 C/S TO 21 KTS.

J. H. Vaupel
LT USN

04-08 STEAMING AS BEFORE. 0458 C/C 005 0459 C/S 23 KTS 0520 C/C 000 0540 C/S TO 24 KTS

G. Stefanowicz
G. Stefanowicz
LT USN

APPROVED:
U. S. N. COMMANDING

EXAMINED:
LCDR
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) Tuesday (Day) 1 (Date) December (Month) 19 64

04-08 (CONT) ABSENTEES: NONE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

08-12 Steaming as before. 0850 Made daily inspection of magazines and smokeless powder samples; conditions satisfactory. 1029 c/s 17 kts.

R. J. Barton
R. J. Barton
LTJG USN

12-16 STEAMING AS BEFORE. 1231 C/C TO 050°(T). 1233 C/S TO 18 KTS. 1239 C/S TO 17 KTS.

J. M. Thompson
JT USN

16-18 Steaming As Before. 1750 C/S 19 KTS 1752 C/S 21 KTS 1756 C/S 23 KTS 1759 C/S 21 KTS.

G. Steffencavage
G. STEFFENCAVAGE
LT USN

18-20 STEAMING AS BEFORE. 1953 C/S TO 19 KNOTS. 1955 C/S TO 17 KNOTS. 1956 C/C TO 029°

Michael Harris
MICHAEL HARRIS
LTJG USNR

20-24 Steaming as before. 2005 C/S 18 Kts. 2014 C/S 175 2027 C/S 17 Kts. 2054 C/S 16 Kts. 2055 C/S 15 Kts. 2145 C/C 014° 2155 C/S 13 Kts. 2156 C/C 029 C/S 14 Kts. 2220 C/S 15 Kts.

R. J. Barton
R.J. Barton
LTJG USN

APPROVED:
J. J. Brooks CDR U. S. N. COMMANDING

EXAMINED:
John Ren LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WEDNESDAY (Day) 2 (Date) DECEMBER (Month) 19 64

Ø8-12 STEAMING AS BEFORE. ØBØØ C/C TO 355° C/S TO 20 KNOTS. 0849 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 0958 C/C TO Ø20° 1005 C/C TO 355° 1010 WITH DELAWARE LIGHT SHIP ABEAM TO STARBOARD, ~~C/E~~ DISTANCE ONE MILE, C/C TO 314° 1Ø11 C/S TO 17 KNOTS. 1Ø49 C/S TO 15 KNOTS. 1121 C/S TO 17 KNOTS. 1125 C/C TO 312° 1127 C/S TO 20 KNOTS. 1131 STATIONED THE SPECIAL SEA DETAIL. OOD CONNING, CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1142 C/C TO 310° 1148 C/C TO 308° 1149 C/S TO 15 KNOTS. 1150 C/S TO 10 KNOTS. 1155 STOPPED ALL ENGINES. DELAWARE RIVER PILOT BOAT CAME ALONGSIDE TO STARBOARD. PILOT C.E. JOHNSON CAME ABOARD. 1156 C/S TO 20 KNOTS. C/C TO 343°. 1158 C/S TO 22 KNOTS. ENTERED INLAND WATERS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS CONFORMING TO DELAWARE RIVER CHANNEL.

LT USN

12-16 MANEUVERING AS BEFORE.

LT USN

16-2Ø MANEUVERING AS BEFORE. 171Ø NAVY TUG 149 CAME ALONGSIDE TO PORT. YARD PILOT R. MURRAY CAME ABOARD. 1728 MANEUVERING TO GO ALONGSIDE PIER. 1739 MOORED ~~PORT~~ STARBOARD SIDE TO PIER 2 SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PENNA., WITH STANDARD MOORING LINES DOUBLED AND TWO ADDITIONAL BREAST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, USS SAN PABLO (AGS 30).

Michael Harris
MICHAEL HARRIS
LTJG USNR

2Ø-24 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE THURSDAY (Day) 3 (Date) DECEMBER (Month) 19 64

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-04 MOORED STARBOARD SIDE TO PIER 2 SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PENNA., WITH STANDARD MOORING LINES DOUBLED, AND TWO ADDITIONAL BREAST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, USS SAN PABLO (AGS 3Ø).

Michael Harris
MICHAEL HARRIS
LTJG USNR

04-08 ~~MUSTERED THE CREW~~ AT MOORED AS BEFORE. Ø73Ø MUSTERED ~~MTA~~ THE CREW AT QUARTERS. ABSENTEES: NONE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) THURSDAY (Day) 5 (Date) DEC (Month), 1964

0800-1200 MOORED AS BEFORE. 0950 RECEIVED DRAFT REPORT; FORWARD 12 FT 6 IN AFT 12 FT 6 IN. 1050 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

D. Robertson
D. ROBERTSON
ENS USNR

1200-1600 MOORED AS BEFORE.

D. Robertson
D. ROBERTSON
ENS. USNR.

1600-2000 MOORED AS BEFORE. 1820 HELD FIRE DRILL. 1830 SECURED FROM FIRE DRILL.

D. Robertson
D. ROBERTSON
ENS USNR.

2000-2400 MOORED AS BEFORE.

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE FRIDAY (Day) 4 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

USS SAN PABLO (AGS 30) SAME AS

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

0000-0004 MOORED STARBOARD SIDE TO PIER 2 SW. PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PENNSYLVANIA. WITH STANDARD MOORING LINES DOUBLED AND TWO ADDITIONAL BREAST LINES, FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, U.S.S. SAN PABLO (AGS 30)

D. Robertson
D. ROBERTSON
ENS USNR

0004-0800 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: SHARPE, BARTON M. FA 695 7612 UA SINCE 0720 4 DEC. 1964. 0750 SHARPE, BARTON M FA 695 7612. REPORTED ABOARD BEING UA SINCE 0720 4 DEC 1964.

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) Friday (Day) 4 (Date) December (Month), 1964

08-12 Moored as before. 1110 Made daily inspection of magazines and smokeless powder samples; conditions satisfactory.

R. J. Barton
R. J. Barton
LTJG USN

12-16 Moored as before

R. J. Barton
R. J. Barton
LTJG USN

16-20 Moored as before.

R. J. Barton
R. J. Barton
LTJG USN

20-24 Moored as before

R. J. Barton
R. J. Barton
LTJG USN

APPROVED: J. J. Perro CDR U. S. N. COMMANDING

EXAMINED: John Ross LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE Saturday (Day) 5 (Date) December (Month), 1964

AT/PASSAGE FROM Philadelphia, Pa. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME COURSE AND SPEED (AS PER 30)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to Pier 2 S.W. Philadelphia Naval Shipyard, Philadelphia, Pennsylvania with standard mooring lines doubled and two additional breast lines fore and aft. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet and local service craft. SOPA is Commanding Officer, U.S.S. San PABLO (AGS 30)

R. J. Barton
R. J. Barton
LTJG USN

04-08 Moored as before.

R. J. Barton
R. J. Barton
LTJG USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SATURDAY (Day) 5 (Date) DECEMBER (Month) 19 64

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

D. Robertson
D. ROBERTSON
ENS USNR

1200-1600 MOORED AS BEFORE

D. Robertson
D. ROBERTSON
ENS USNR

1600-2000 MOORED AS BEFORE

D. Robertson
D. ROBERTSON
ENS USNR

2000-2400 MOORED AS BEFORE

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED:

J. J. Acree JR
U. S. N. COMMANDING

EXAMINED:

John Bencoat
U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE SUNDAY (Day) 6 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA PA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW. PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA PENNSYLVANIA. WITH STANDARD MOORING LINES DOUBLED AND TWO ADDITIONAL BREST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (LPLS-30)

D. Robertson
D. ROBERTSON
ENS USNR

04-08 MOORED AS BEFORE.

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SUNDAY (Day) 6 (Date) DECEMBER (Month), 19 64

0800-1200 MOORED AS BEFORE 0800 MUSTERED CREW ON STATION: ABSENTEES: NONE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS SATISFACTORY.

D. Robertson
D. ROBERTSON
ENS USNR

1200-1600 MOORED AS BEFORE.

D. Robertson
D. ROBERTSON
ENS USNR

1600-2000 MOORED AS BEFORE

D. Robertson
D. ROBERTSON
ENS USNR

2000-2400 MOORED AS BEFORE

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED:
J. J. Shoro CDR U. S. N. COMMANDING

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE MONDAY (Day) 7 (Date) DECEMBER (Month), 1964

AT/PASSAGE FROM PHILADELPHIA, PA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

USS SAN PABLO (AGS-30) MOORED STBD SIDE TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW. PHILADELPHIA NAVAL SHIPYARD PHILADELPHIA PENNSYLVANIA WITH STANDARD MOORING LINES DOUBLED AND TWO ADDITIONAL BREST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS-30)

D. Robertson
D. ROBERTSON
ENS USNR

04-08 MOORED AS BEFORE. 0720 MUSTERED CREW AT QUARTERS, FOUL WEATHER PARADE. ABSENTEES: VINCENT, CLARENCE H BM3 749 49 31 UA SINCE 0720 7 DEC 64

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) MONDAY (Day) 7 (Date) DECEMBER (Month), 19 64

0S-12 MOORED AS BEFORE. 0SQS VINCENT, CLARENCE H. JR. 749 4921 BM3 REPORTED ABOARD HAVING BEEN UA SINCE 0730 7DEC 64. 1100 MADE DAILY INSPECTION OF AA/K MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS SATISFACTORY.

D. ROBERTSON
ENS USNR

~~0400~~ 0K

12-16 MOORED AS BEFORE.

D. ROBERTSON
ENS USNR

16-20 MOORED AS BEFORE

D ROBERTSON
ENS USNR

20-24 MOORED AS BEFORE

D. ROBERTSON
ENS USNR

APPROVED: [signature] U. S. N. COMMANDING
Acting

EXAMINED: [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 8 (Date) DECEMBER (Month) 19 64

AT/PASSAGE FROM PHILADELPHIA, PA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SOQ PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA PENNSYLVANIA, WITH STANDARD MOORING LINES DOUBLED AND TWO ADDITIONAL BREST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET AND VARIOUS LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER USS SAN PABLO (AGS-30)

D. Robertson
D Robertson
ENS USNR

04-08. MOORED AS BEFORE HAD MUSTERED THE CREW AT QUARTERS, FOUL WEATHER PARADE, ABSENTEES, DESIDERIO, EUGENE F 5967175 SN VA. SINCE 0720, 8 DEC. 64

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED: J Shafer LCDR U. S. N. ACTING COMMANDING

EXAMINED: J Shafer LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) TUESDAY (Day) 8 (Date) Dec (Month), 19 64.

08-12 Moored As Before. 0816 COR. J.J. PIRRO Commanding officer, Left The Ship on TAD orders To Attend Counter Insurgency Course AT NAVAL WAR College Newport R.I. 1010 Made Daily Inspection of Magazines And Smokeless Powder Samples.

G. Stefencavage
G. STEFENCAVAGE
LT. USN

12-16 Moored As Before

G. Stefencavage
G. STEFENCAVAGE
LT USN

16-20 Moored As Before

G. Stefencavage
G. STEFENCAVAGE
LT. USN

20-24 Moored As Before.

G. Stefencavage
G. STEFENCAVAGE
LT. USN.

APPROVED:
J. Kopleen CDR U. S. N. COMMANDING
Acting

EXAMINED:
J. Kopleen CDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 9 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PHILADELPHIA PENNA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03										SAME			
04													
05					W			SOME	AS				
06													
07						S.S.							
08													
09					(AGS-		SAN						
10													
11													
12													
13						30)		DOCK					
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW PHILADELPHIA NAVAL SHIP YARD, PHILADELPHIA, PENNA. WITH STANDARD MOORING LINES DOUBLED AND TWO ADDITIONAL BREAST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS of U.S. ATLANTIC FLEET AND VARIOUS LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS-30)

H. Stiffenwage
G. Stiffenwage
LT USN.

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE.

H. Stiffenwage
G. Stiffenwage
LT USN

APPROVED: John Allen LCDR U.S.N. COMMANDING
Acting

EXAMINED: John Allen LCDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) WEDNESDAY (Day) 9 (Date) DEC. (Month), 1964

08-12 MOORED AS BEFORE. 0915 COMMENCED TAKING ON FUEL. DRAFT FORWARD 13FT 8IN AFT 13 FT 2IN. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

12-16 MOORED AS BEFORE. 1200 COMPLETED REFUELING. DRAFT: FORWARD 14FT 0IN AFT 13FT 3IN.

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

16-20 MOORED AS BEFORE.

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

20-24 MOORED AS BEFORE.

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

APPROVED: John Klein LCDR U. S. N. COMMANDING (Acting)

EXAMINED: John Klein LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE THURSDAY (Day) 10 (Date) DECEMBER (Month), 1964

AT/PASSAGE FROM PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS 0800 AS SOPA (AGS-30) AND SAN PABLO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SOUTHWEST, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA., WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER USS SAN PABLO (AGS-30)

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

APPROVED: J Shuckers LCDR acting U. S. N. COMMANDING

EXAMINED: J Shuckers LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) THURSDAY (Day) 10 (Date) DECEMBER (Month), 19 64

0800-1200 MOORED AS BEFORE. 0955 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

Michael Harris
MICHAEL HARRIS
LTJG HARUSNR

1200-1600 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

1600-2000 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

2000-2400 MOOKED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED:
John Allen Cook U. S. N. COMMANDING
Acting

EXAMINED:
John Allen Cook U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION R DATE FRIDAY (Day) 11 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA, PENNSYLVANIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

USS ABBOT (DD 629)
AGS-30 (AS-30)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO PIER 2 SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PENNSYLVANIA, WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, USS SAN PABLO (AGS 30).

Michael Harris
MICHAEL HARRIS
LTJG USNR

Ø4-Ø8 MOORED AS BEFORE. Ø73Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED: John Allen LCDR U. S. N. COMMANDING
Acting

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) FRIDAY (Day) 11 (Date) DECEMBER (Month) 64

0800 - 1200 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS U/K SATISFACTORY.

D. ROBERTSON
ENS USNR

1200 - 1600 MOORED AS BEFORE.

D. ROBERTSON
ENS USNR

1600 - 2000 MOORED AS BEFORE

D. ROBERTSON
ENS USNR

2000 - 2400 MOORED AS BEFORE

D. ROBERTSON
ENS USNR

APPROVED:
J. Corkern LCDR U. S. N. COMMANDING
12-14-64

EXAMINED:
John Kern LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE SATURDAY (Day) 12 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA, PENNA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

CHANGE CHARLIE (AGS-30) TO SAN PABLO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW PHILADELPHIA NAVAL SHIPYARDS, PHILADELPHIA PENNSYLVANIA WITH STANDARD MOORING LINES DOUBLED PLUS TWO ADDITIONAL BREAST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS 30)

D. ROBERTSON
ENS USNR

04-08 MOORED AS BEFORE

D. ROBERTSON
ENS USNR

APPROVED:
John Klenn LCDR U.S.N. COMMANDING
Acting

EXAMINED:
John Klenn LCDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) SATURDAY (Day) 13 (Date) Dec (Month), 19 64

M 08-12 Moored As Before 0830 Mustered The Crew On Station Absentees None. 1030 Made Daily Inspection of Magazines And Smokeless Powder Samples Conditions Normal

G. Stefencavage
G. STEFENCAVAGE
LT USN

12-16 Moored As Before

G. Stefencavage
G. STEFENCAVAGE
LT USN

16-20 Moored As Before

G. Stefencavage
G. STEFENCAVAGE
LT USN

20-24 Moored As Before

G. Stefencavage
G. STEFENCAVAGE
LT. USN.

APPROVED:
John Allen Lcdr U. S. N. COMMANDING
Act. Cy

EXAMINED:
John Allen Lcdr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE SUNDAY (Day) 13 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PHILADELPHIA PENNA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS 0800 (AGS-30) SAN PABLO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0400 MOORED STARBOARD SIDE TO PIER 2 SW PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA PENNA. WITH STANDARD MOORING LINES DOUBLED PLUS TWO ADDITIONAL BREAST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA is COMMANDING officer U.S.S. SAN PABLO (AGS-30)

M. Steffencavage
G. STEFFENCAVAGE
LT. USN

0400-08 MOORED AS Before

M. Steffencavage
G. Steffencavage
LT USN

APPROVED: J. Knapper LCDR U.S. N. COMMANDING Acting

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SUNDAY (Day) 13 (Date) DECEMBER (Month), 19 64

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J. M. Cooper
LT USN

1200-1600 MOORED AS BEFORE

J. M. Cooper
LT USN

1600-2000 MOORED AS BEFORE

J. M. Cooper
LT USN

2000-2400 MOORED AS BEFORE.

J. M. Cooper
LT USN

APPROVED: John Allen LCDR U. S. N. COMMANDING
Acting

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 DATE MONDAY (Day) 14 (Date) DECEMBER (Month), 1964

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2, SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED PLUS TWO ADDITIONAL BREAST LINES AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, U.S.S. SAN PABLO (AGS-30).

J. M. Cooper
LT USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

J. M. Cooper
LT USN

APPROVED: John Kerr LCDR U. S. N. COMMANDING ACTING

EXAMINED: John Kerr LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MONDAY (Day) 14 (Date) DECEMBER (Month), 19 61

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

Michael Harris
MICHAEL HARRIS
LTJG USNR

1200-1600 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

1600-2000 MOORED AS BEFORE. 1637 LET FIRES DIE IN NUMBER 2 BOILER.

Michael Harris
MICHAEL HARRIS
LTJG USNR

2000-2400 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED:
John Allen LCDR U.S.N. COMMANDING
Acting

EXAMINED:
John Allen LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION R DATE TUESDAY (Day) 15 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA, PENNSYLVANIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO PIER 2 SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PENNSYLVANIA, WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, USS SAN PABLO (AGS 3Ø).

Michael Harris
MICHAEL HARRIS
LTJG USNR

Ø4-Ø8 MOORED AS BEFORE. Ø63Ø LIGHTED FIRES IN NUMBER 2 BOILER. Ø73Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED:
John Kerr LCDR U. S. N. COMMANDING
Acting

EXAMINED:
John Kerr LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) TUESDAY (Day) 15 (Date) DECEMBER (Month), 19 64

08-12 MOORED AS BEFORE. 0745 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS SATISFACTORY

D. Robertson
D. ROBERTSON
ENS USNR

12-16 MOORED AS BEFORE

D. Robertson
D. ROBERTSON
ENS USNR

16-20 MOORED AS BEFORE.

D. Robertson
D. ROBERTSON
ENS USNR

20-24 MOORED AS BEFORE.

D. Robertson
D ROBERTSON
ENS USNR

APPROVED:

John Klen LCDR U.S.N. COMMANDING
Acting

EXAMINED:

John Klen LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE WEDNESDAY (Day) 16 (Date) DECEMBER (Month) 64

AT/P~~ASSAGE FROM~~ PHILADELPHIA PENNSYLVANIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW PHILADELPHIA NAVAL SHIPYARD PHILADELPHIA PENNSYLVANIA WITH STANDARD MOORING LINES DOUBLED PLUS TWO ADDITIONAL BREAST LINES FORE AND AFT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET AND LOCAL SERVICE UNITS. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS-30)

D. ROBERTSON
ENS USNR

04-08 MOORED AS BEFORE. 0734 MUSTERED CREW ON-STATION
ABSENTEES: NONE

D. ROBERTSON
ENS USNR

APPROVED:
J. Harden LCDR U. S. N. COMMANDING
Acting

EXAMINED:
J. Harden LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) Wednesday (Day) 16 (Date) Dec (Month), 1964

08-12 Moored As Before 1000 Made Daily Inspection of Magnetics. Conditions Normal

G. Stefenavage
G. STEFENAVAGE
LT USN

12-16 Moored As Before

G. Stefenavage
G. STEFENAVAGE
LT USN

16-20 Moored As Before

G. Stefenavage
G. STEFENAVAGE
LT USN

20-24 Moored As Before

G. Stefenavage
G. STEFENAVAGE
LT USN

APPROVED:
John Allen LCDR U. S. N. COMMANDING
Acting

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE THURSDAY (Day) 17 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE~~ FROM PHILADELPHIA PENNA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

U.S.S. SAN PABLO (AGS-30)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored Starboard Side To Pier #2 S.W Philadelph.a Naval Shipyard, Philadelphia Pennsylvania with Standard Mooring Lines Doubled Plus Two Additional Breast Lines. Ships Present include Various Units of U.S. Atlantic Fleet and Local Service Craft. Receiving Miscellaneous Services From The Pier. SOPA is Commanding officer U.S.S. San Pablo (AGS-30)

H. Stefancavage
G. Stefancavage
LT USN

04-08 Moored As Before 0730 Mustered The crew on Station Absentees.

[signature]
LCDR USN

APPROVED:
[signature] LCDR USN
U.S. N. COMMANDING

EXAMINED:
[signature] LCDR USN
U.S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) THURSDAY (Day) 17 (Date) DECEMBER (Month), 19 64

08-12 MOORED AS BEFORE. 0905 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 1010 CAPT E.W. FRIEDEN, USN, COMRESDESRON 30, ACCOMPANIED BY INSPECTING PARTY FROM U.S.S. HANK (DD702) CAME ON BOARD AND COMMENCED MATERIAL INSPECTION. BROKE FLAG OF COMRESDESRON 30. 1105 COMRESDESRON 30 AND INSPECTING PARTY LEFT THE SHIP

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

12-16 MOORED AS BEFORE.

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

16-20 MOORED AS BEFORE.

N J Shackelton Jr.
N.J. SHACKELTON JR.
LTJG USN

20-24 MOORED AS BEFORE.

N.J. Shackelton Jr.
N.J. SHACKELTON JR.
LT.JG USN

APPROVED: John Klass LCDR U. S. N. COMMANDING
Actg

EXAMINED: John Klass LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE FRIDAY (Day) 18 (Date) DECEMBER (Month), 1964

AT/~~PASSAGE~~ FROM Philadelphia PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2, SOUTHWEST, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA., WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS-30)

N J Shackelton Jr.
N J SHACKELTON JR.
LTJG USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS.
ABSENTEES: None

G. Stefencavage
G Stefencavage
LT USN

APPROVED:
[signature] U. S. N. COMMANDING
Actg

EXAMINED:
[signature] U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) FRIDAY (Day) 18 (Date) Dec. (Month), 19 64

0800-1200 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES - CONDITIONS NORMAL.

G. Stefancavage
G. STEFANCAVAGE
LT USN

1200-1600 MOORED AS BEFORE

G. Stefancavage
G. STEFANCAVAGE
LT USN

1600-2000 MOORED AS BEFORE

G. Stefancavage
G. STEFANCAVAGE
LT USN

2000-2400 MOORED AS BEFORE

G. Stefancavage
G. STEFANCAVAGE
LT USN

APPROVED: John Allen LCDR U.S.N. COMMANDING
Acting

EXAMINED: John Allen LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE SATURDAY (Day) 19 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ Philadelphia PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03					SAME AS								
04													
05													
06					SOPA								
07													
08			U.S.S		SAN PABLO								
09													
10					(AGS-30)								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

~~00~~-04 Moored Starboard Side To Pier 2, SW, U.S. Naval Shipyard. Ph.la Delphia, Penna. With Standard Mooring Lines Doubled, Plus Two Additional Breast Lines. Ships Present Include Various units of the U.S. Atlantic Fleet and Local Service Craft. Receiving Miscellaneous Services from The Pier. Sopa is Commanding officer U.S.S. San Pablo (AGS-30)

G. Stefencavage
G. Stefencavage
AT USN

04-08 Moored As Before

G. Stefencavage
G. Stefencavage
AT USN.

APPROVED:
John Allen CDR U.S.N. COMMANDING
ACTING

EXAMINED:
John Allen CDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DDG29) SATURDAY (Day) 19 (Date) DECEMBER (Month), 1964

08-12 MOORED AS BEFORE. 1135 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N J SHACKELTON JR.
LTJG USN

12-16 MOORED AS BEFORE.

N J SHACKELTON JR.
LTJG USN

16-20 MOORED AS BEFORE.

N J SHACKELTON JR.
LTJG USN

20-24 MOORED AS BEFORE.

N J SHACKELTON JR.
LTJG USN

APPROVED:
John Klerr 2CDR U. S. N. COMMANDING
ACTING

EXAMINED:
John Klerr 2CDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE SUNDAY (Day) 20 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04					SAME	AS		50	PA				
05													
06													
07					USS			SAN		PABLO			
08													
09						(AGS-30)							
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SOUTHWEST, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT., SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS-30)

N.J. Shackelton Jr.
N.J. SHACKELTON JR.
LTJG USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

N.J. Shackelton Jr.
N.J. SHACKELTON JR.
LTJG USN

APPROVED:
John Allen LCDR U.S.N. COMMANDING
Acting

EXAMINED:
John Allen LCDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
1A 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) SUNDAY (Day) 20 (Date) DECEMBER (Month), 1964

Ø8-12 MOORED AS BEFORE. 1Ø1Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N. J. SHACKELTON JR.
LTJG USN

12-16 MOORED AS BEFORE.

N. J. SHACKELTON JR.
LTJG USN

16-2Ø MOORED AS BEFORE.

N. J. SHACKELTON JR.
LTJG USN

2Ø-24 MOORED AS BEFORE.

N. J. SHACKELTON JR.
LTJG USN

APPROVED: John Allen LCDR U.S.N. COMMANDING
Acting

EXAMINED: John Allen LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE MONDAY (Day) 21 (Date) DECEMBER (Month), 1964

AT/PASSAGE FROM PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06					SAME				AS				
07													
08						SOPA.							
09													
10					USS	SAN	PABLO						
11													
12					(AGS-30)								
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SOUTHWEST, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS-30).

N.J. Shackelton Jr.
N.J. SHACKELTON JR.
LTJG USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

N.J. Shackelton Jr.
N.J. SHACKELTON JR.
LTJG USN.

APPROVED: John Allen LCDR U.S.N. COMMANDING
ACTING

EXAMINED: John Allen LCDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MONDAY (Day) 21 (Date) DECEMBER (Month) 19 64

0800-1200 MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS SATISFACTORY. 1045 PUT MOTORWHALE BOAT IN WATER.

D. ROBERTSON
ENS USNR

1200-1600 MOORED AS BEFORE.

D. ROBERTSON
ENS USNR

1600-2000 MOORED AS BEFORE

D. ROBERTSON
ENS USNR

2000-2400 MOORED AS BEFORE

D. ROBERTSON
ENS USNR

APPROVED: J. Johnston LCDR U.S.N. COMMANDING
ACTING

EXAMINED: J. Johnston LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 22 (Date) DECEMBER (Month), 19 61

AT/PASSAGE FROM PHILADELPHIA PENNSYLVANIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06					SAME				AS				
07													
08						SOPA.							
09													
10					USS		SAN		PABLO				
11													
12													
13					(AGS-30)								
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW PHILADELPHIA NAVAL SHIPYARD. PHILADELPHIA PENNSYLVANIA, WITH STANDARD MOORING LINES DOUBLED PLUS TWO ADDITIONAL BREST LINES FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER U.S.S. SAN PABLO (AGS-30)

D. Robertson
D. ROBERTSON
ENS USNR.

04-08. MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS, FULL WEATHER PARADE. ABSENTEES: NONE. 0500 COMMANDING OFFICER U.S.S HANK (DD 702) ASSUMED SOPA.

D. Robertson
D. ROBERTSON
ENS USNR

APPROVED:
John R. Lem LCDR U. S. N. COMMANDING
Acting

EXAMINED:
John R. Lem LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) TUESDAY 22 DECEMBER, 19 64
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0830 COMMENCED TRANSFERRING AMMUNITION. 0920 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS SATISFACTORY. 1110 COMPLETED TRANSFERRING AMMUNITION. TRANFERRED 100 ROUNDS OF 5"/38 CAL. VTNF PROJECTILES, 100 ROUNDS OF 5"/38 CAL BL+P PROJECTILES, 100 5"/38 SMOKELESS CHARGES, 29 ROUNDS OF 3"/50 CAL VTNF PROJECTILES WITH SMOKELESS POWDER, AND 3000 ROUNDS OF .45 CAL BALL AMMUNITION TO USS HANK (DD702).

Michael Harris
MICHAEL HARRIS
LTJG USNR

12-16 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

16-20 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

20-24 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED: [signature] U. S. N. COMMANDING
Acting

EXAMINED: [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABROT (DD629) ZONE DESCRIPTION R DATE WEDNESDAY (Day) 23 (Date) DECEMBER (Month), 1964

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06					SAME	AS		SOPA.					
07													
08					USS	HANK							
09													
10					(DD-702)								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO PIER 2, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PA., WITH STANDARD MOORING LINES DOUBLED. ~~IN A NEST OF~~ RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, USS HANK (DD 702).

Michael Harris
MICHAEL HARRIS
LTJG USNR

Ø4-Ø8 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEE: HIATT, T.W., 2798020, GMGC, USN, AWOL SINCE ~~0730~~ 0720 THIS DATE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED:
John Allen LCDR U. S. N. COMMANDING
Acting

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) WEDNESDAY (Day) 23 (Date) DECEMBER (Month) 19 64

08-12 MOORED AS BEFORE. 0935 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N J SHACKELTON JR.
LTJG USN

12-16 MOORED AS BEFORE.

N J SHACKELTON JR.
LTJG USN

16-20 MOORED AS BEFORE

N J SHACKELTON JR.
LTJG USN

20-24 MOORED AS BEFORE

N J SHACKELTON JR.
LTJG USN

APPROVED: J Shrpden CDR U.S.N. COMMANDING
Acting

EXAMINED: J Shrpden CDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ADBOT (DD 629) ZONE DESCRIPTION +5R DATE THURSDAY (Day) 24 (Date) DECEMBER (Month), 1964

AT/PASSAGE FROM PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SOUTHWEST, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMMANDING OFFICER USS HANK (DD 702)

N J SHACKELTON JR.
LTJG USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

N J SHACKELTON JR.
LTJG USN

APPROVED: U.S.N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) Thursday (Day) 24 (Date) December (Month) 64

08-12 Moored as before. 1000 Made daily inspection of magazines; conditions satisfactory

R J Bantun
R. J. Bantun
LTJG USN

12-16 Moored as before

R. J. Bantun
R. J. Bantun
LTJG USN

16-20 Moored as before.

R. J. Bantun
R. J. Bantun
LTJG USN

20-24 Moored as before

R. J. Bantun
R. J. Bantun
LTJG USN

APPROVED:
John Doe CDR U. S. N. COMMANDING
Acting

EXAMINED:
John Doe CDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE Friday (Day) 25 (Date) December (Month), 1964

AT/~~PASSAGE FROM~~ Philadelphia, Pa. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Starboard side to Pier 2 Southwest, U-S Naval Shipyard Philadelphia, Pa. with standard mooring lines doubled. Ships present include various units of the U-S Atlantic Fleet and local service craft. Receiving miscellaneous services from the pier. SOPA is COMMANDING OFFICER USS HANK (DD 702)

R. J. Burton
R J Burton
LTJG USN

04-08 Moored as before.

R. J. Burton
R. J. Burton
LTJG USN

APPROVED: John Doe LCDR U. S. N. COMMANDING
Acting

EXAMINED: John Doe LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) FRIDAY (Day) 25 (Date) DECEMBER (Month) 1964

08-12 MOORED AS BEFORE. 1015 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N J SHACKELTON JR.
LTJG USN

12-16 MOORED AS BEFORE.

N J SHACKELTON JR.
LTJG USN

16-20 MOORED AS BEFORE

N J SHACKELTON JR.
LTJG USN

20-24 MOORED AS BEFORE.

N J SHACKELTON JR.
LTJG USN

APPROVED:
John Allen LCDR U. S. N. COMMANDING
Acting

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE SATURDAY (Day) 26 (Date) DECEMBER (Month) 19 64

AT/PASSAGE FROM PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SOUTHWEST, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER USS HANK (DD702)

N J Shackelton Jr.
N J SHACKELTON JR. USN
LTJG

04-08 MOORED AS BEFORE.

N J Shackelton Jr.
N J SHACKELTON JR. USN
LTJG

APPROVED:

John Allen LCDR U. S. N. COMMANDING
Actg

EXAMINED:

John Allen LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) SATURDAY (Day) 26 (Date) DECEMBER (Month), 19 64

08-12 MOORED AS BEFORE. 0830 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE. 0917 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS SATISFACTORY.

Michael Harris
MICHAEL HARRIS
LTJG USNR

12-16 MOORED AS BEFORE. 1345 RECEIVED NOTIFICATION FROM COMMANDANT, FOURTH NAVAL DISTRICT, OF POSSIBLE WINDS OF 75-80 KNOTS AND SCATTERED TORNADOES IN THE AREA FROM 1300-1800R. RIGGED TOWING WIRE AFT TO A BOLLARD ON THE PIER. PUT OUT EXTRA BREAST LINES FORE AND AFT. UNRIGGED STARBOARD ANCHOR CHAIN FROM WILDCAT, RIGGED PORT ANCHOR CHAIN. LIT OFF GYRO. ENGINEERING DEPARTMENT PLACED ON 2 HOUR NOTICE FOR GETTING UNDERWAY. CLEARED PIER AND SHIP OF MISSILE HAZARDS.

Michael Harris
MICHAEL HARRIS
LTJG USNR

16-20 MOORED AS BEFORE. 1700 NOTIFIED ACTING COMMANDING OFFICER OF STORM ~~PRECAT~~ PRECAUTIONS TAKEN.

Michael Harris
MICHAEL HARRIS
LTJG USNR

20-24 MOORED AS BEFORE. 2250 FORSTER, T.T., 7750129, FA, USNR-R, AND BORTNER, L.W., 6991019, FA, USNR-R, BOTH COMPLAINING OF DIZZINESS, NAUSEA, AND ALTERNATING CHILLS AND FEVER, WERE TAKEN TO THE SHIPYARD DISPENSARY FOR EXAMINATION AND TREATMENT.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED: John Allen 2CDR U.S.N. COMMANDING
Acting

EXAMINED: John Allen 2CDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION R DATE SUNDAY (Day) 27 (Date) DECEMBER (Month), 1964

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAMO 95

SOPA USS HANK (DD 702)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

~~00~~-04 MOORED STARBOARD SIDE TO PIER 2 SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PA., WITH STANDARD MOOKING LINES DOUBLED, TWO ADDITIONAL BREAST LINES FORE AND AFT, AND THE TOWING WIRE RIGGED AFT TO A BOLLARD ON THE PIER. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, USS HANK (DD702). ~~00~~ 27 RECEIVED NOTIFICATION FROM SHIPYARD DISPENSARY THAT FORSTER, T.T., 7750129, FA, USNR-R AND BORTNER, L.W., 6991019, FA, USNR-R HAD BEEN ADMITTED TO PHILADELPHIA NAVAL HOSPITAL. DIAGNOSIS: VIAKENIA.

Michael Harris
MICHAEL HARRIS
LTJG USNR

APPROVED:
J. Walker LCDR U. S. N. COMMANDING
Acting

EXAMINED:
J. Walker LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT SUNDAY (Day) 27 (Date) DECEMBER (Month), 1964

0400-0800 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
LTJG USNR

0830 Mustered the crew on station; absentees: none RJB
0800-1200 Moored as before. 0917 Made daily inspection of magazines; conditions satisfactory.

R. J. Barton
R. J. Barton
LTJG USN

1200-1600 Moored as before.

R. J. Barton
R. J. Barton
LTJG USN

1600-2000 Moored as before. 1600 A systematic search of the ship for VILLALOBOS, J. R., 696-18-50, SA, USNR disclosed that he was not on board; AWOL from a time unknown this date.

R. J. Barton
R. J. Barton
LTJG USN

2000-2400 Moored as before

R. J. Barton
LTJG USN

APPROVED: John Bell LCDR U.S.N. COMMANDING
Acting

EXAMINED: John Bell LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION R DATE Monday (Day) 28 (Date) December (Month), 19 64

AT/PASSAGE FROM Philadelphia, Pa TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04	SAME		AS		SOPA								
05					USS HANK (DD702)								
06													
07													
08	320	4	6	$^{0}V_{C}$	30.20	36	34	10	1500	ST			
09	322	5	6	$^{0}V_{C}$	30.21	36	35	10	1500	ST			
10	328	5	6	$^{0}V_{C}$	30.21	37	35	10	1500	ST			
11	330	6	6	$^{0}V_{C}$	30.22	38	36	10	1500	ST			
12	330	7	6	$^{0}V_{C}$	30.23	38	35	10	1500	ST			
13	336	6	6	$^{0}V_{C}$	30.25	39	36	10	1500	ST			
14	340	5	6	$^{0}V_{C}$	30.26	40	36	10	1500	ST			
15	342	4	6	$^{0}V_{C}$	30.28	39	35	10	1500	ST			
16	341	6	6	$^{0}V_{C}$	30.29	40	36	10	1500	ST			
17	348	5	6	$^{0}V_{C}$	30.30	42	38	10	1500	ST			
18	354	10	6	$^{0}V_{C}$	30.31	41	37	10	1500	ST			
19	349	9	6	$^{0}V_{C}$	30.30	38	36	10	1500	ST			
20	348	10	6	$^{0}V_{C}$	30.31	39	38	10	1500	ST			
21	340	10	6	$^{0}V_{C}$	30.31	37	35	10	1500	ST			
22	350	8	6	$^{0}V_{C}$	30.33	39	35	10	1500	ST			
23	350	8	6	$^{0}V_{C}$	30.34	38	35	10	1500	ST			
24	35	7	6	$^{0}V_{C}$	30.34	38	35	10	1500	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0p-04 Moored starboard side to Pier 2, SW, Philadelphia Naval Shipyard, Philadelphia, Pa with standard mooring lines doubled, two additional breast lines ~~doubled~~ fore and aft, and the towing wire rigged aft to a bollard on the pier. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet and local service craft. SOPA is Commanding Officer, U.S.S. HANK (DD702). 0140 Villalobos, J. R., 696 850, SA, USNR, returned on board having been AWOL since 1430 27 December, 1964

R. J. Burton
R. J. Burton
LTJG USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) Monday (Day) 28 (Date) December (Month), 19 64

Ø4-Ø8 Moored as before. Ø73Ø Mustered the crew at quarters: absentees: McQueen, M.C. SN, USN, 590 4083 AWOL since Ø72Ø this date. and Knauber, C.E., 5168961 AWOL since Ø72Ø this date:

R. J. Barton
R. J. Barton

08-12 Moored As Before 1000 Made Daily Inspection of Magazines Conditions Normal

G. Stefencavage
G. Stefencavage
LT USN

12-16 Moored As Before

G. Stefencavage
G. Stefencavage
LT USN

16-20 Moored As Before

G. Stefencavage
G Stefencavage
LT USN

20-24 Moored As Before 2015 Captain Returned From 8 Days Leave.

G. Stefencavage
G Stefencavage
LT USN

APPROVED: J J Ryan CDR U. S. N. COMMANDING

EXAMINED: John Allen CDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 29 (Date) DECEMBER (Month) 1964

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	355	9	6	°Vc	30.50	40	35	10	1500	ST			
02	345	6	6	°Vc	30.50	40	36	10	1500	ST			
03	312	4	6	°Vc	30.50	40	35	10	1500	ST			
04	309	4	6	°Vc	30.50	37	34	10	1500	ST			
05	350	5	6	°Vc	30.50	39	35	10	1500	ST			
06	341	5	6	°Vc	30.48	38	36	10	1500	ST			
07	320	5	6	°Vc	30.46	37	34	10	1500	ST			
08	300	4	6	°Vc	30.43	36	33	10	1500	ST			
09	295	4	6	°Vc	30.40	35	32	10	1500	ST			
10	310	5	6	°Vc	30.40	32	30	10	1500	ST			
11	300	5	6	°Vc	30.40	33	30	10	1500	ST			
12	210	2	6	°Vc	30.40	35	32	10	1500	ST			
13	237	2	6	°Vc	30.37	36	32	10	1500	ST			
14	225	7	6	°Vc	30.34	37	34	10	1500	ST			
15	180	2	6	°Vc	30.30	40	34	10	1500	ST			
16	195	5	6	°Vc	30.26	40	36	10	1500	ST			
17	160	6	6	°Vc	30.22	39	36	10	1500	ST			
18	190	6	6	°Vc	30.20	37	34	10	1500	ST			
19	175	6	6	°Vc	30.18	36	34	10	1500	ST			
20	185	5	6	°Vc	30.15	36	34	10	1500	ST			
21	180	5	6	°Vc	30.18	37	35	10	1500	ST			
22	150	5	6	°Vc	30.16	37	34	10	1500	ST			
23	165	5	6	°Vc	30.17	37	35	10	1500	ST			
24	150	3	6	°Vc	30.18	38	36	10	1500	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Starboard Side to Pier 2 SW Philadelphia Naval Shipyard Philadelphia Pa. with Standard Mooring Lines Doubled Plus Two Additional Breast lines. Towing wire out to Bollard on the Pier. Receiving Miscellaneous Services from the Pier. Ships Present include various units U.S. Atlantic Fleet and Local Service Craft. SOPA is Commanding officer.

G. Stefencavage
G. Stefencavage
LT USN

04-08 Moored as Before - 0730 Mustered The Crew at Quarters Absentees None.

G Stefencavage
G. Stefencavage
LT USN

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) TUESDAY (Day) 29 (Date) DECEMBER (Month), 19 64

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions Normal.

J M Cooper
LT USN

12-16 Moored as before.

J M Cooper
LT USN

16-20 Moored as Before.

J M Cooper
LT USN

20-24 Moored as Before.

J M Cooper
LT USN

APPROVED: J J Ross CDR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 30 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	135	2	6	$^{O}V_{C}$	30.18	38	36	10	1500	ST			
02	265	1	6	$^{O}V_{C}$	30.18	43	40	10	1500	ST			
03	250	1	6	$^{O}V_{C}$	30.18	44	41	10	1500	ST			
04	140	1	6	$^{O}V_{C}$	30.18	43	40	10	1500	ST			
05	120	1	6	$^{O}V_{C}$	30.18	43	40	10	1500	ST			
06	140	1	6	$^{O}V_{C}$	30.18	43	40	10	1500	ST			
07	185	1	6	$^{O}V_{C}$	30.18	44	41	10	1500	ST			
08	150	5	6	$^{O}V_{C}$	30.18	44	41	10	1500	ST			
09	183	8	6	$^{O}V_{C}$	30.14	44	42	10	1500	ST			
10	198	9	6	$^{O}V_{C}$	30.16	43	42	10	1500	ST			
11	188	9	6	$^{O}V_{C}$	30.18	44	42	10	1500	ST			
12	198	6	6	$^{O}V_{C}$	30.16	45	43	10	1500	ST			
13	203	8	6	$^{O}V_{C}$	30.16	45	43	10	1500	ST			
14	200	5	6	$^{O}V_{C}$	30.16	46	44	10	1500	ST			
15	202	6	6	$^{O}V_{C}$	30.12	47	45	10	1500	ST			
16	202	6	6	$^{O}V_{C}$	30.12	48	45	10	1500	ST			
17	202	8	6	$^{O}V_{C}$	30.12	48	45	10	1500	ST			
18	200	6	6	$^{O}V_{C}$	30.13	47	45	10	1500	ST			
19	200	6	6	$^{O}V_{C}$	30.13	47	45	10	1500	ST			
20	202	6	6	$^{O}V_{C}$	30.14	46	45	10	1500	ST			
21	203	6	6	$^{O}V_{C}$	30.13	47	45	10	1500	ST			
22	205	6	6	$^{O}V_{C}$	30.12	47	45	10	1500	ST			
23	205	6	6	$^{O}V_{C}$	30.13	45	43	10	1500	ST			
24	200	6	6	$^{O}V_{C}$	30.13	46	45	10	1500	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PA WITH STANDARD MOORING LINES DOUBLED PLUS TWO ADDITIONAL BREAST LINES AND TOWING WIRE TO THE PIER. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMRESDESRON 30 EMBARKED THIS VESSEL. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND VARIOUS YARD AND SERVICE CRAFT.

J. H. Carter
2T USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEE: NONE.

J. H. Carter
2T USN

APPROVED:
J. J. Ross CDR U. S. N. COMMANDING

EXAMINED:
J. Rupkey LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WEDNESDAY (Day) 30 (Date) DECEMBER (Month) 1964

08-12 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J. M. Cooper
LT USN

12-16 MOORED AS BEFORE. 1410 RENDER, JAMES H., FA, USNR-R, 777-12-17, RETURNED ABOARD HAVING BEEN UA SINCE 0720 28 DECEMBER 1964.

J. M. Cooper
LT USN

16-20 MOORED AS BEFORE.

J. M. Cooper
LT USN

20-24 MOORED AS BEFORE.

J. M. Cooper
LT USN

APPROVED: J. Thomas COR U. S. N. COMMANDING

EXAMINED: John Bonnell U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 31 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	202	6	6	OVC	30.16	46	45	10	1500	ST			
02	200	6	6	OVC	30.17	47	45	10	1500	ST			
03	200	6	6	OVC	30.19	52	47	10	1500	ST			
04	201	6	6	OVC	30.20	51	42	10	1500	ST			
05	202	6	6	OVC	30.21	46	39	10	1500	ST			
06	202	6	6	OVC	30.23	45	38	10	1500	ST			
07	210	6	6	OVC	30.23	44	42	10	1500	ST			
08	218	8	6	OVC	30.20	44	42	10	1500	ST			
09	270	12	6	OVC	30.18	44	38	10	1500	ST			
10	285	11	6	OVC	30.18	40	38	10	1500	ST			
11	305	10	6	OVC	30.18	40	38	10	1500	ST			
12	308	12	6	OVC	30.18	41	38	10	1500	ST			
13	315	11	6	OVC	30.20	47	39	10	1500	ST			
14	SAME												
15	AS												
16	SOPA												
17	USS HANK												
18	(DD 702)												
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2 SW, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED PLUS TWO ADDITIONAL BREAST LINES AND TOWING WIRE TO THE PIER. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMRESDESRON 30 EMBARKED THIS VESSEL. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND VARIOUS YARD AND SERVICE CRAFT

J. H. Cooper
LT USN

04-08 MOORED AS BEFORE. 0725 MUSTERED THE CREW ON STATIONS. ABSENTEES NONE.

J. H. Cooper
LT USN

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) Thursday (Day) 31 (Date) Dec (Month), 19 64

08-12 Moored as Before. 1000 Made Daily Inspection of Magazines Condition Satisfactory

G. Stefencavage
G. Stefencavage
LT USN

12-16 Moored as Before 1430 C.O Hank U.S.S. Hank (DD702) Assumed Id SOPA.

G. Stefencavage
G. Stefencavage
LT USN

16-20 Moored as Before

G. Stefencavage
G. Stefencavage
LT USN

20-24 Moored as Before. 2300 Grant Raymond L 779-93-73 SA USN was attacked by two shipmates in Berthing Compartment. Received multiple contusions about face and "V" shaped laceration in left Temporal Region - Due to own misconduct. Treatment administered by Duty medical officer USNH Phila Pa. Disposition 2 days light Duty 2330 A systematic search of entire ship was conducted for Drinkwine R.F 6993659 SA and Jones R.P 5475084 SN disclosed not aboard.

G. Stefencavage
G Steffencavage
LT USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19__

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR